

**I. IDENTIFICATION****A. PRODUCT**

1. Product Number: C844
2. Product Name: Stainless Steel
3. Chemical Family: Aerosol
4. Formula: Proprietary

**B. COMPANY IDENTIFICATION**

Manufactured For:  
TEC-Chem LLC  
30290 US Hwy 72  
Hollywood, AL 35752  
Tel: (800) 2392143

**II. COMPOSITION, INFORMATION ON INGREDIENTS**

<u>MATERIAL</u>	<u>CAS#</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>VOC &amp;</u>
Propane	74-98-6	1000ppm	1000ppm	
Isobutane	75-28-5	Not Est.	800ppm	
Carbon Dioxide	124-38-9	5000ppm	5000ppm	
			Total	<u>97.5</u>

**III. HEALTH HAZARD INFORMATION****A. EMERGENCY & FIRST AID**

1. **EYES:** Immediately flush with clear water for 15 minutes lifting upper and lower lids periodically. If irritation results and persists Seek immediate medical attention.
2. **SKIN:** Flush with a solution of soap & water.
3. **INHALATION:** Remove to fresh air. If Breathing does not return to normal seek medical attention.
4. **INGESTION:** Do not induce vomiting. GET MEDICAL ATTENTION.

**B. EFFECTS OF OVER EXPOSURE**

1. **EYES:** Irritation.
2. **SKIN:** Irritation.
3. **INHALATION:** Irritation of respiratory system with possible difficulty in breathing.
1. **INGESTION:** May cause gastro distress, diarrhea and vomiting.

**IV. FIRE & EXPLOSION HAZARD DATA**

- A. FLASH POINT: Not Established
- B. Flame Projection: 18"
- C. SPECIAL FIRE PROCEDURES: Use Self-contained breathing apparatus and full protective clothing.
- C. UNUSUAL FIRE & EXPLOSION HAZARDS: May form carbon dioxide, carbon monoxide.

Fire & Explosion Hazards: Avoid Exposure to Temperature above 120 Degrees F  
Extinguishing Media: CO2, Standard Foam, Dry Foam, Halon

Fire Fighting Instructions: Wear self-contained breathing apparatus.

NFPA Rating: Health 2 – Flammability 4 – Reactivity 0  
HIMS Rating: Health 2 – Flammability 4 – Reactivity 0

**V. PHYSICAL DATA**

Boiling point: Not Est. Melting Point: N/A  
Specific Gravity: N/A Solubility: Negligible  
Vapor Pressure: 90 pH – N/A  
Vapor Density: (air=1) <1 Evaporation Rate: >1  
Appearance: Clear Mist Odor: Slight Ethereal

**VI. REACTIVITY DATA**

- A. STABILITY: Stable
- B. CONDITIONS TO AVOID: Extreme Heat
- C. INCOMPATIBILITY: Strong Oxidizing Agents
- D. HAZARDOUS POLMERIZATION: Will not occur.

**VII. SPILL, LEAK & DISPOSAL PROCEDURES**

- A. STEPS TO BE TAKEN IN CASE OF SPILL:
  1. Contain spill.
  2. Dilute with plenty of water.
  3. Wash all surfaces with clear water.
- B. WASTE DISPOSAL METHOD: Dispose of according to Federal, State, & local regulations.

**VIII. SPECIAL PROTECTION INFORMATION**

- A. SPECIFIC PERSONAL PROTECTIVE EQUIPMENT
  1. RESPIRATORY: Optional
  2. EYES: Safety glasses or face sheild.
  3. SKIN: Rubber gloves
  4. OTHER: Apron if desired.
- B. VENTILATION REQUIREMENTS: Local & Mechanical (General exhaust are adequate)

**IX. SPECIAL PRECAUTIONS**

- A. HANDLING & STORAGE: Keep container sealed when not in use. Protect from extreme changes in temperature. Keep product in original container.
- B. OTHER: Triple rinse empty containers thoroughly with water before disposal. Do not reuse empty container. Follow label directions.

**X. TRANSPORTATION REQUIREMENTS**

DOT Information – 49 CFR 172.101  
DOT PROPER SHIPPING NAME: Consumer Commodity  
DOT ID: N/A  
DOT HAZARD CLASS: ORM-D  
CONTAINER/MODE: 12 OZ. Aerosol Can  
UN ID Number: 1950

**XI. STATE and LOCAL REGULATIONS**

California Proposition 65: No Proposition 65 Ingredients

The information presented herein is based on data considered to be accurate and that reflects the requirements of the OSHA hazard communication standards in effect as of the date of preparation of this Material Safety Data Sheet. However, no warranty or representation, express or implied, is made as to the accuracy or completeness of the forgoing data and safety information. In addition, no responsibility can be assumed by vendor for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices, or from any hazards inherent in the nature of the product.